

Author Index

ABE, T. *see* MATSUYAMA, T.
ABRAHAM, E., COULSON, W.F., SCHWARTZ, M.D. & ALLBEE, J. Effects of therapy with soluble tumour necrosis factor receptor fusion protein on pulmonary cytokine expression and lung injury following haemorrhage and resuscitation, 29
AGEA, E. *see* MUSCAT, C.
ALLBEE, J. *see* ABRAHAM, E.
AMITANI, R. *see* SUZUKI, K.
ANDERSEN, P.L. *see* LAURSEN, A.L.
ANSTEE, D. *see* GOODRICK, J.
AOTSUKA, S. *see* OKAWA-TAKATSUJI, M.
APPELBERG, R. *see* PEDROSA, J.
ARAKAWA, M. *see* SATO, T.

BALK, A.H.M.M. *see* JUTTE, N.H.P.M.
BALOW, J.E. *see* BERNSTEIN, K.A.
BARANJI, K. *see* BARANYI, L.
BARANYI, L., OKADA, N., BARANJI, K., TAKIZAWA, H. & OKADA, H. Membrane-bound complement regulatory activity is decreased on vaccinia virus-infected cells, 134
BARRIOS, C., GEORGOPoulos, C., LAMBERT, P.-H. & DEL GIUDICE, G. Heat shock proteins as carrier molecules: *in vivo* helper effect mediated by *Escherichia coli* GroEL and DnaK proteins requires cross-linking with antigen, 229
BARRIOS, C., TOUGNE, C., POLLÀ, B.S., LAMBERT, P.-H. & DEL GIUDICE, G. Specificity of antibodies induced after immunization of mice with the mycobacterial heat shock protein of 65 kD, 224
BATAILLE, R. *see* LEGOUFFE, E.
BATSFORD, S. *see* MEZIERE, C.
BEATTY, D.W. *see* HUGHES, E.J.
BEEZHOLD, D.H., SUSSMAN, G.L., KOSTYAL, D.A. & CHANG, N.-S. Identification of a 46-kD latex protein allergen in health care workers, 408
BELSHE, R.B. *see* GORSE, G.J.
BERGENHOLTZ, G. *see* SIMARK-MATTSSON, C.
BERGMANN, L. *see* NOCKHER, W.A.
BERNSTEIN, K.A., KAHL, L.E., BALOW, J.E. & LEFKOWITH, J.B. Serologic markers of lupus nephritis in patients: use of tissue-based ELISA and evidence for immunopathogenic heterogeneity, 60
BERTOTTO, A. *see* MUSCAT, C.
BETZ, S. *see* VAN REISEN, F.C.
BEVERLEY, P. *see* MICHE, C.
BISTONI, F. *see* VECCHIARELLI, D.
BISTONI, O. *see* MUSCAT, C.
BLANK, M., MANOSROI, J., TOMEY, Y., MANOSROI, A., KOPOLOVIC, J., CHARCON-POLAK, S. & SHOENFELD, Y. Suppression of experimental systemic lupus erythematosus (SLE) with specific anti-idiotypic antibody-saporin conjugate, 434
BLAYLOCK, M.G. *see* PLATER-ZYBERK, C.
BOCK, E. *see* RUBBERT, A.
BOERMAN, O. *see* SLOBBE, R.
BOUC, P. *see* HUGHES, E.J.
BRESLER, H.S. *see* SABOORI, A.M.
BROCHIER, J. *see* LEGOUFFE, E.
BROUWER, E. *see* COERS, W.
BROUWER, E. *see* MULDER, A.H.L.
BROUWER, E., STEGEMAN, C.A., HUITEMA, M.G., LIMBURG, P.C. & KALLENBERG, C.G.M. T cell reactivity to proteinase 3 and myeloperoxidase in patients with Wegener's granulomatosis (WG), 448
BRUIJNZEEL-KOOMEN, C.A.F.M. *see* VAN REISEN, F.C.
BUREK, C.L. *see* SABOORI, A.M.
BUSCHARD, K. *see* JOSEFSEN, K.
BÖLSKE, G. *see* EVENGÅRD, B.

CAPRILLI, R. *see* GIACOMELLI, R.
CARAYANNIOTIS, G. *see* CHRONOPOULOU, E.
CARP, H.J.A. *see* TORCHINSKY, A.
CASH, E. & ROTT, O. Microglial cells qualify as the stimulators of unprimed CD4⁺ and CD8⁺ T lymphocytes in the central nervous system, 313
CASTRO, A.G. *see* PEDROSA, J.
CATÁLFAMO, M. *see* VARGAS, F.
CATUREGLI, P. *see* SABOORI, A.M.
CATUREGLI, P., KUPPERS, R.C., MARIOTTI, S., LYNNE BUREK, C., PINCHERA, A., LADENSON, P.W. & ROSE, N.R. IgG subclass distribution of thyroglobulin antibodies in patients with thyroid disease, 464
CESAROTTI, M. *see* MUSCAT, C.
CEUPPENS, J.L. *see* LOCHER, CH.
CHAND, A. *see* COERS, W.
CHANG, N.-S. *see* BEEZHOLD, D.H.
CHAPMAN, G. *see* GOODRICK, J.
CHARCON-POLAK, S. *see* BLANK, M.
CHAU, F. *see* LACROIX, C.
CHEESBROUGH, J. *see* MICHE, C.
CHENSUE, S.W., WARMINGTON, K.S., RUTH, J., LINCOLN, P.M. & KUNKEL, S.L. Cross-regulatory role of interferon-gamma (IFN- γ), IL-4 and IL-10 in schistosome egg granuloma formation: *in vivo* regulation of Th activity and inflammation, 395
CHRISTOPPOULOS C. Platelet surface IgG in patients receiving infusions of Fab fragments of a chimaeric monoclonal antibody glycoprotein IIb-IIIa, 6
CHRONOPOULOU, E., MICHALAK, T.I. & CARAYANNIOTIS, G. Autoreactive IgG elicited in mice by the non-dominant but pathogenic thyroglobulin peptide (2495-2511): implications for thyroid autoimmunity, 89
CIPRIANI, P. *see* GIACOMELLI, R.
CLAAS, F.H.J. *see* JUTTE, N.H.P.M.
CLEMENTS, M.L. *see* GORSE, G.J.
COERS, W., BROUWER, E., VOS, J.T.W.M., CHAND, A., HUITEMA, S., HEERINGA, P., KALLENBERG, C.G.M. & WEENING, J.J. Podocyte expression of MHC class I and II and intercellular adhesion molecule-1 (ICAM-1) in experimental pauci-immune crescentic glomerulonephritis, 279
COSYNS, M. *see* ZHANG, Y.
COULSON, W.F. *see* ABRAHAM, E.
COVAS, M.J. *see* JALECO, A.C.

DAHLGREN, U.I. *see* SIMARK-MATTSSON, C.
DAM, K. *see* WENISCH, C.
DAMSBO, P. *see* JOSEFSEN, K.
DAWES, B. *see* GOODRICK, J.
DEL GIUDICE, G. *see* BARRIOS, C.
DELNESTE, Y., LASSALLE, P., JEANNIN, P., JOSEPH, M., TONNEL, A.B. & GOSSET, P. Histamine induces IL-6 production by human endothelial cells, 344
DENIS, M. Envelope glycoprotein (gp120) from HIV-1 enhances *Mycobacterium avium* growth in human bronchoalveolar macrophages; an effect mediated by enhanced prostaglandin synthesis, 123
DEROUIN, F. *see* LACROIX, C.
DETSIKAS, E. *see* ROUTSIAS, J.G.
DILLON, M.J. *see* KANEKO, K.
DING, Y. *see* LAUHIO, A.
DOTTORINI, M. *see* VECCHIARELLI, D.
DU PONT, J.S. *see* RICHTERS, C.D.
DUONG, T.H. *see* EGWANG, T.G.
DYBWAD, A. *see* SIOD, M.

EGWANG, T.G., DUONG, T.H., NGUIRI, C., NGARI, P., EVERAERE, S., RICHARD-LENoble, D., GBAKIMA, A.A. & KOMBILA, M. Evaluation of *Onchocerca volvulus*-specific IgG4 subclass serology as an index of onchocerciasis transmission potential of three Gabonese villages, 401

EIBL, M. *see* GORSE, G.J.

ELSON, C.J. & THOMPSON, S.J. Immunity, autoimmunity and immunotherapy: new frontiers in heat shock protein research, 175

ERCOLANI, R. *see* MUSCAT, C.

EVAGELATOU, M., WEBSTER, A.D.B. & FARRANT, J. Effects of 17 β -oestradiol on function of lymphocytes from normal donors and patients with common variable immunodeficiency (CVID), 203

EVENGÅRD, B., SANDSTEDT, K., BÖLSKE, G., FEINSTEIN, R., RIESENFELT-ÖRN, I. & SMITH, C.I.E. Intranasal inoculation of *Mycoplasma pulmonis* in mice with severe combined immunodeficiency (SCID) causes a wasting disease with grave arthritis, 388

EVERAERE, S. *see* EGWANG, T.G.

EZAKI, I. *see* SHINGU, M.

FALK, M.C., NG, G., ZHANG, G.Y., FANNING, G.C., KAMATH, K.R. & KNIGHT, J.F. Predominance of T cell receptor V δ 3 in small bowel biopsies from coeliac disease patients, 78

FANNING, G.C. *see* FALK, M.C.

FARRANT, J. *see* EVAGELATOU, M.

FAST, P.E. *see* GORSE, G.J.

FEIN, A. *see* TORCHINSKY, A.

FEINSTEIN, R. *see* EVENGÅRD, B.

FLÓRIDO, M. *see* PEDROSA, J.

FØRRE, Ø. *see* SIJUD, M.

FRASER, I. *see* GOODRICK, J.

FREY, S.E. *see* GORSE, G.J.

FRIERI, G. *see* GIACOMELLI, R.

GAILLARD, J.P. *see* LEGOUFFE, E.

GARLEPP, M.J., LAING, B., ZILKO, P.J., OLLIER, W. & MASTAGLIA, F.L. HLA associations with inclusion body myositis, 40

GBAKIMA, A.A. *see* EGWANG, T.G.

GBEHARDT, M. *see* VAN REIJSEN, F.C.

GEORGOPoulos, C. *see* BARRIOS, C.

GERLI, R. *see* MUSCAT, C.

GIACOMELLI, R., PARZANESI, I., FRIERI, G., PASSACANTANDO, A., PIZZUTO, F., PIMPO, T., CIPRIANI, P., VISCIDO, A., CAPRILLI, R. & TONIETTI, G. Increase of circulating γ / δ T lymphocytes in the peripheral blood of patients affected by active inflammatory bowel disease, 83

GIGA, P. *see* LOCHER, CH.

GODDARD, E.A. *see* HUGHES, E.J.

GOLUB, L.M. *see* LAUHIO, A.

GOODRICK, J., KUMPEL, B., PAMPHILON, D., FRASER, I., CHAPMAN, G., DAWES, B. & ANSTEE, D. Plasma half-lives and bioavailability of human monoclonal Rh D antibodies BRAD-3 and BRAD-5 following intramuscular injection into Rh D-negative volunteers, 17

GORSE, G.J., SCHWARTZ, D.H., GRAHAM, B.S., MATTHEWS, T.J., STALEIN, D.M., FREY, S.E., BELSHE, R.B., CLEMENTS, M.L., WRIGHT, P.F., EIBL, M., FAST, P.E. & THE NIAID AIDS VACCINE CLINICAL TRIALS NETWORK. HIV-1 recombinant gp160 vaccine given in accelerated dose schedules, 178

GOSSET, P. *see* DELNESTE, Y.

GRAHAM, B.S. *see* GORSE, G.J.

GRANINGER, W. *see* WENISCH, C.

GROENEVELD, K. *see* JUTTE, N.H.P.M.

HADA, T. *see* MAEDA, J.

HARLEY, J.B. *see* JAMES, J.A.

HARTMANN, T. *see* WENISCH, C.

HARTUNG, H.P. *see* JUNG, S.

HASHIMOTO, M. *see* SHINGU, M.

HASHIMOTO, T. *see* SUZUKI, K.

HAYWARD, A.R. *see* ZHANG, Y.

HEERINGA, P. *see* COERS, W.

HEERINGA, P. *see* MULDER, A.H.L.

HEINZL, H. *see* ROSENKRANZ, A.R.

HIGASHINO, K. *see* MAEDA, J.

HIRANO, A. *see* MISAKI, T.

HOEFSMIT, E.C.M. *see* RICHTERS, C.D.

HOEKSTRA, M.J. *see* RICHTERS, C.D.

HUGHES, E.J., GODDARD, E.A., BOUC, P. & BEATTY, D.W. Flow cytometry analysis of OKT4 epitope deficiency in South African black children, 526

HUITEMA, M.G. *see* BROUWER, E.

HUITEMA, S. *see* COERS, W.

IWAHASHI, N. *see* MAEDA, J.

JALECO, A.C., COVAS, M.J. & VICTORINO, R.M.M. Analysis of lymphocyte cell death and apoptosis in HIV-2-infected patients, 185

JAMES, J.A., MAMULA, M.J. & HARLEY, J.B. Sequential autoantigenic determinants of the small nuclear ribonucleoprotein Sm D shared by human lupus autoantibodies and MRL lpr/lpr antibodies, 419

JEANNIN, P. *see* DELNESTE, Y.

JESPERSEN, L. *see* SIJUD, M.

JOHNSON, P.M. *see* MEEKINS, J.W.

JONTELL, M. *see* SIMARK-MATTSSON, C.

JOSEPH, K., NIELSEN, H., LORENTZEN, S., DAMSBO, P. & BUSCHARD, K. Circulating monocytes are activated in newly diagnosed type 1 diabetes mellitus patients, 489

JOSEPH, M. *see* DELNESTE, Y.

JUNG, S., TOYKA, K.V. & HARTUNG, H.P. Impact of 15-deoxyspergualin on effector cells in experimental autoimmune diseases of the nervous system in the Lewis rat, 494

JUTTE, N.H.P.M., GROENEVELD, K., BALK, A.H.M.M., OUWEHAND, A.J., LOONEN, E.H.M., VAN DER LINDEN, M., STRIKWERDA, S., MOCHTAR, B., CLAAS, F.H.J. & WEIMAR, W. The development of transplant coronary artery disease after cardiac transplantation is correlated with a predominance of CD8 $^{+}$ T lymphocytes in endomyocardial biopsy derived T cell cultures, 158

KAHL, L.E. *see* BERNSTEIN, K.A.

KALDEN, J.R. & GAY, S. Retroviruses and autoimmune rheumatic diseases, 1

KALDEN, J.R. *see* RUBBERT, A.

KALLENBERG, C.G.M. *see* BROUWER, E.

KALLENBERG, C.G.M. *see* COERS, W.

KALLENBERG, C.G.M. *see* MULDER, A.H.L.

KAMATH, K.R. *see* FALK, M.C.

KAMPERDJK, E.W.A. *see* RICHTERS, C.D.

KANEKO, K., SAVAGE, B., POTTINGER, E., SHAH, V., PEARSON, J.D. & DILLON, M.J. Antidendothelial cell antibodies can be cytotoxic to endothelial cells without cytokine pre-stimulation and correlate with ELISA antibody measurement in Kawasaki disease, 264

KARKAR, A.M. & REES, A.J. Influence of an established acute phase response on the severity of experimental nephritis, 295

KASAGI, K. *see* MISAKI, T.

KENNEDY, D.M., SKILLEN, A.W. & SELF, C.H. Glycation of monoclonal antibodies impairs their ability to bind antigen, 245

KESTENS, L. *see* LOCHER, CH.

KLEIN, B. *see* LEGOUFFE, E.

KNIGHT, J.F. *see* FALK, M.C.

KOCH, A.E. *see* SZEKANECZ, Z.

KOMBILA, M. *see* EGWANG, T.G.

KOMINAMI, R. *see* SATO, T.

KONISHI, J. *see* MISAKI, T.

KONTINEN, Y.T. *see* LAUHIO, A.

KOPOLOVIC, J. *see* BLANK, M.

KOSTYAL, D.A. *see* BEEZHOULD, D.H.

KREYSEL, H.-W. *see* KUKEL, S.

KRUGER, M. *see* LOCHER, CH.

KUKEL, S., REINHOLD, U., OLTERMANN, I. & KREYSEL, H.-W. Progressive increase of CD7 $^{+}$ T cells in human blood lymphocytes with ageing, 163

KUMPEL, B. *see* GOODRICK, J.

KUNKEL, S.L. *see* CHENSUE, S.W.

KUNZE, Z.M. *see* PEDROSA, J.

KUPPERS, R.C. *see* CATUREGLI, P.

KUPPERS, R.C. *see* SABOORI, A.M.

KUZE, F. *see* SUZUKI, K.

LACROIX, C., LEVACHER-CLERGEOT, M., CHAU, F., SUMUYEN, M.H., SINET, M., POCIDALO, J.J. & DEROUIN, F. Interactions between murine AIDS (MAIDS) and toxoplasmosis in co-infected mice, 190

LADENSON, P.W. *see* CATUREGLI, P.
 LÄHDEVIRTA, J. *see* LAUHIO, A.
 LAING, B. *see* GARLEPP, M.J.
 LAMBERT, P.-H. *see* BARRIOS, C.
 LASALLE, P. *see* DELNESTE, Y.
 LAUHIO, A., SALO, T., DING, Y., KONTTINEN, Y.T., NORDSTRÖM, D., TSCHESCHE, H., LÄHDEVIRTA, J., GOLUB, L.M. & SORSA T. *In vivo* inhibition of human neutrophil collagenase (MMP-8) activity during long-term combination therapy of doxycycline and non-steroidal anti-inflammatory drugs (NSAID) in acute reactive arthritis, 21
 LAURSEN, A.L., MØLLER, B., RUNGBY, J., PETERSEN, C.M. & ANDERSEN, P.L. *Pneumocystis carinii*-induced activation of the respiratory burst in human monocytes and macrophages, 196
 LAWRENCE, R.H. & SORRELL, T.C. Eicosapentaenoic acid modulates neutrophil leukotriene B₄ receptor expression in cystic fibrosis, 12
 LEE, W.J. *see* SUZUKI, K.
 LEFKOWITH, J.B. *see* BERNSTEIN, K.A.
 LEGOUFFE, E., LIAUTARD, J., GAILLARD, J.P., ROSSI, J.-F., WUJENES, J., BATAILLE, R., KLEIN, B. & BROCHIER, J. Human anti-mouse antibody response to the injection of murine monoclonal antibodies against IL-6, 323
 LEUNISSEN, J. *see* SLOBBE, R.
 LEVACHER-CLERGEOT, M. *see* LACROIX, C.
 LEVIN, M.J. *see* ZHANG, Y.
 LEVY, J.G. *see* RATKAY, L.G.
 LIAUTARD, J. *see* LEGOUFFE, E.
 LIMBURG, P.C. *see* BROUWER, E.
 LIMBURG, P.C. *see* MULDER, A.H.L.
 LINCOLN, P.M. *see* CHENSUE, S.W.
 LINK, H. *see* ZHU, J.
 LOCHER, CH., VANHAM, G., KESTENS, L., KRUGER, M., CEUPPENS, J.L., VINGERHOETS, J. & GIGASE, P. Expression patterns of Fc_γ receptors, HLA-DR and selected adhesion molecules on monocytes from normal and HIV-infected individuals, 115
 LOONEN, E.H.M. *see* JUTTE, N.H.P.M.
 LORENTZEN, S. *see* JOSEFSEN, K.
 LUCAS-MARTIN, A. *see* VARGAS, F.
 LYNN BUREK, C. *see* CATUREGLI, P.

MAEDA, J., UEKI, N., OHKAWA, T., IWASHI, N., NAKANO, T., HADA, T. & HIGASHINO, K. Transforming growth factor-beta 1 (TGF-β1)- and β2-like activities in malignant pleural effusions caused by malignant mesothelioma or primary lung cancer, 319
 MAINI, R.N. *see* PLATER-ZYBERK, C.
 MAMULA, M.J. *see* JAMES, J.A.
 MANOSROI, A. *see* BLANK, M.
 MANOSROI, J. *see* BLANK, M.
 MANZO, C. & FERRAIUOLO, C. Early detection of the allogenic effect in the mixed lymphocyte reaction (MLR) by anti-CD3 IgA mouse monoclonal antibody, 508
 MARIENHAGEN, J. *see* RUBBERT, A.
 MARIOTTI, S. *see* CATUREGLI, P.
 MARIOTTI, S. *see* SABOORI, A.M.
 MASTAGLIA, F.L. *see* GARLEPP, M.J.
 MATHIESON, P.W., THIRU, S. & OLIVEIRA, D.B.G. Use of methyl prednisolone and antioxidants in mercuric chloride-induced experimental vasculitis, 66
 MATSUDA, T. *see* MATSUYAMA, T.
 MATSUYAMA, T., NAKASHIMA, N., MATSUDA, T., NAKAMURA, H., UCHIDA, S. & ABE, T. Induction of multinucleated giant cells from rheumatoid arthritis (RA) synovial adherent cells by anti-DR antibody, 257
 MATTHEWS, T.J. *see* GORSE, G.J.
 MCADAM, K.P.W.J. *see* WHEELER, P.R.
 MCFADDEN, J. *see* PEDROSA, J.
 MCFADYEN, I.R. *see* MEEKINS, J.W.
 MCKENZIE, J.M. *see* WU, Z.
 MC LAUGHLIN, P.J. *see* MEEKINS, J.W.
 MEEKINS, J.W., MC LAUGHLIN, P.J., WEST, D.C., MCFADYEN, I.R. & JOHNSON, P.M. Endothelial cell activation by tumour necrosis factor-alpha (TNF-α) and the development of pre-eclampsia, 110
 MEZIERE, C., STÖCKL, F., BATSFORD, S., VOGT, A. & MULLER, S. Antibodies to DNA, chromatin core particles and histones in mice with graft-versus-host disease and their involvement in glomerular injury, 287
 MICHALAK, T.I. *see* CHRONOPOULOU, E.
 MICHIE, C., SCOTT, A., CHEESBROUGH, J., BEVERLEY, P. & PASVOL, G. Streptococcal toxic shock-like syndrome: evidence of superantigen activity and its effects on T lymphocyte subsets *in vivo*, 140
 MISAKI, T., TAKEUCHI, R., MIYAMOTO, S., HIRANO, A., KASAGI, K. & KONISHI, J. Induction *in vitro* of 72-kD heat shock protein in a continuous culture of rat thyroid cells, FRTL5, 234
 MIX, E. *see* ZHU, J.
 MIYAMOTO, S. *see* MISAKI, T.
 MOCHTAR, B. *see* JUTTE, N.H.P.M.
 MØLLER, B. *see* LAURSEN, A.L.
 MONARI, C. *see* VECCHIARELLI, D.
 MOUTSOPOULOS, H.M. *see* ROUTSIAS, J.G.
 MUDDE, G.C. *see* VAN REIJSEN, F.C.
 MULDER, A.H.L., HEERINGA, P., BROUWER, E., LIMBURG, P.C. & KALLENBERG, C.G.M. Activation of granulocytes by anti-neutrophil cytoplasmic antibodies (ANCA): a Fc_γRII-dependent process, 270
 MULLER, S. *see* MEZIERE, C.
 MURAYAMA, T. *see* SUZUKI, K.
 MUSCAT, C., BERTOTTO, A., AGEA, E., BISTONI, O., ERCOLANI, R., TOGNELLINI, R., SPINOZZI, F., CESAROTTI, M. & GERLI, R. Expression and functional role of IF7 (CD26) antigen on peripheral blood and synovial fluid T cells in rheumatoid arthritis patients, 252
 MYSKWI, D. *see* WENISCH, C.

NAKAMURA, H. *see* MATSUYAMA, T.
 NAKANO, T. *see* MAEDA, J.
 NAKASHIMA, N. *see* MATSUYAMA, T.
 NATVIG, J.B. *see* SIOD, M.
 NG, G. *see* FALK, M.C.
 NGARI, P. *see* EGWANG, T.G.
 NGUIRI, C. *see* EGWANG, T.G.
 NIELAND, L. *see* SLOBBE, R.
 NIELSEN, H. *see* JOSEFSEN, K.
 NOBUNAGA, M. *see* SHINGU, M.
 NOCKER, W.A., BERGMANN, L. & SCHERBERICH, J.E. Increased soluble CD14 serum levels and altered CD14 expression of peripheral blood monocytes in HIV-infected patients, 369
 NORDSTRÖM, D. *see* LAUHIO, A.
 NÜBLEIN, H. *see* RUBBERT, A.

OBIOLS, G. *see* VARGAS, F.
 OHKAWA, T. *see* MAEDA, J.
 OKADA, H. *see* BARANYI, L.
 OKADA, N. *see* BARANYI, L.
 OKAWA-TAKATSUJI, M., AOTSUKA, S., UWATOKO, S., SUMIYA, M. & YOKOHARI, R. Enhanced synthesis of cytokines by peripheral blood monocytes cultured in the presence of autoantibodies against U1-ribonucleoprotein and/or negatively charged molecules: implication in the pathogenesis of pulmonary hypertension in mixed connective tissue disease (MCTD), 427
 OLIVEIRA, D.B.G. *see* MATHIESON, P.W.
 OLLIER, W. *see* GARLEPP, M.J.
 OLSEN, K.J. *see* WU, Z.
 OLSSON, T. *see* ZHU, J.
 OLTERMANN, I. *see* KUKEL, S.
 OLVER, S.D., PRICE, P. & SHELLAM, G.R. Cytomegalovirus hepatitis: characterization of the inflammatory infiltrate in resistant and susceptible mice, 375
 OUWEHAND, A.J. *see* JUTTE, N.H.P.M.

PAMPHILON, D. *see* GOODRICK, J.
 PARSCHALK, B. *see* WENISCH, C.
 PARZANESI, I. *see* GIACOMELLI, R.
 PASSACANTANDO, A. *see* GIACOMELLI, R.
 PASVOL, G. *see* MICHIE, C.
 PEARCE, W.H. *see* SZEKANEZ, Z.
 PEARSON, J.D. *see* KANEKO, K.
 PEDROSA, J., FLÓRIDO, M., KUNZE, Z.M., CASTRO, A.G., PORTAELS, F., MCFADDEN, J., SILVA, M.T. & APPELBERG, R. Characterization of the virulence of *Mycobacterium avium* complex (MAC) isolates in mice, 210

PETERSEN, C.M. *see* LAURSEN, A.L.

PETERSON, P. & KROHN, K.J.E. Mapping of B cell epitopes on steroid 17 α -hydroxylase, an autoantigen in autoimmune polyglandular syndrome type I, 104

PIETRELLA, A. *see* VECCHIARELLI, D.

PIMPO, T. *see* GIACOMELLI, R.

PINCHERA, A. *see* CATUREGLI, P.

PINCHERA, A. *see* SABOORI, A.M.

PIZZUTTO, F. *see* GIACOMELLI, R.

PLATER-ZYBERK, C., TAYLOR, P.C., BLAYLOCK, M.G. & MAINI, R.N. Anti-CD5 therapy decreases severity of established disease in collagen type II-induced arthritis in DBA/1 mice, 442

POCIDALO, J.J. *see* LACROIX, C.

PODACZ, E.R. *see* WU, Z.

POELLABAUER, E.-M. *see* VAN REIJSEN, F.C.

POELS, L. *see* SLOBBE, R.

POLLA, B.S. *see* BARRIOS, C.

PORTAELS, F. *see* PEDROSA, J.

POTTINGER, E. *see* KANEKO, K.

PRICE, P. *see* OLVER, S.D.

PUJOL-BORRELL, R. *see* VARGAS, F.

PUMPHREY, R.S. Allergy to *Hevea* latex, 358

QASIM, F.J. *see* MATHIESON, P.W.

RAMAEKERS, F. *see* SLOBBE, R.

RATKAY, L.G., ZHANG, D., TONZETICH, J., LEVY, J.G. & WATERFIELD, J.D. Evaluation of a model for post-partum arthritis and the role of oestrogen in prevention of MRL-lpr associated rheumatic conditions, 52

RAYNES, J.G. *see* WHEELER, P.R.

REINHOLD, U. *see* KUKEL, S.

RETINI, C. *see* VECCHIARELLI, D.

RICHARD-LENOBLE, D. *see* EGKWANG, T.G.

RICHTERS, C.D., HOEKSTRA, M.J., VAN BAARE, J., DU PONT, J.S., HOEFSTAD, E.C.M. & KAMPERDUC, E.W.A. Isolation and characterization of migratory human skin dendritic cells, 330

RIESENFELD-ÖRN, I. *see* EVENGÅRD, B.

ROSE, N.R. *see* CATUREGLI, P.

ROSE, N.R. *see* SABOORI, A.M.

ROSENKRANZ, A.R., TEMPL, E., TRAINDL, O., HEINZL, H. & ZLAbINGER, G.J. Reactive oxygen product formation by human neutrophils as an early marker for biocompatibility of dialysis membranes, 300

ROSSI, J.-F. *see* LEGOUFFE, E.

ROUTSIAS, J.G., SAKARELLOS-DAITSIOTIS, M., DETSIKAS, E., TZIOUFAS, A.G., SAKARELLOS, C. & MOUTSOPoulos, H.M. Antibodies to EYRKK vesicular stomatitis virus-related peptide account only for a minority of anti-Ro60kD antibodies, 414

RUBBERT, A., BOCK, E., SCHWAB, J., MARIENHAGEN, J., NÜBLEIN, H., WOLF, F. & KALDEN, J.R. Anticardiolipin antibodies in HIV infection: association with cerebral perfusion defects as detected by ^{99m}Tc-HMPAO SPECT, 361

RUNGBY, J. *see* LAURSEN, A.L.

RUTH, J. *see* CHENSUE, S.W.

SABOORI, A.M., BUREK, C.L., ROSE, N.R., BRESLER, H.S., TALOR, M. & KUPPERS, R.C. Tryptic peptides of human thyroglobulin: I. Immunoreactivity with murine monoclonal antibodies, 454

SABOORI, A.M., CATUREGLI, P., ROSE, N.R., MARIOTTI, S., PINCHERA, A. & BUREK, C.L. Tryptic peptides of human thyroglobulin: II. Immunoreactivity with sera from patients with thyroid diseases, 459

SAKARELLOS, C. *see* ROUTSIAS, J.G.

SAKARELLOS-DAITSIOTIS, M. *see* ROUTSIAS, J.G.

SÄLLBERG, M. *see* ZHANG, Z.-X.

SALO, T. *see* LAUHIO, A.

SANDSTEDT, K. *see* EVENGÅRD, B.

SATO, T., UCHIUMI, T., ARAKAWA, M. & KOMINAMI, R. Serological association of lupus autoantibodies to a limited functional domain of 28S ribosomal RNA and to the ribosomal proteins bound to the domain, 35

SAVAGE, B. *see* KANEKO, K.

SCHERBERICH, J.E. *see* NOCKHER, W.A.

SCHWAB, J. *see* RUBBERT, A.

SCHWARTZ, D.H. *see* GORSE, G.J.

SCHWARTZ, M.D. *see* ABRAHAM, E.

SCOTT, A. *see* MICHE, C.

SEKIYAMA, K.D., YOSHIBA, M. & THOMSON, A.W. Circulating pro-inflammatory cytokines (IL-1 β , TNF- α , and IL-6) and IL-1 receptor antagonist (IL-1Ra) in fulminant hepatic failure and acute hepatitis, 71

SELF, C.H. *see* KENNEDY, D.M.

SHAH, M.R. *see* SZEKANECZ, Z.

SHAH, V. *see* KANEKO, K.

SELLAM, G.R. *see* OLVER, S.D.

SHINGU, M., HASHIMOTO, M., EZAKI, I. & NOBUNAGA, M. Effect of cytokine-induced soluble ICAM-1 from human synovial cells on synovial cell-lymphocyte adhesion, 46

SHOENFELD, Y. *see* BLANK, M.

SILVA, M.T. *see* PEDROSA, J.

SIMARK-MATTSSON, C., BERGENHOLTZ, G., JONTELL, M., TARKOWSKI, A. & DAHLGREN, U.I. T cell receptor V-gene usage in oral lichen planus; increased frequency of T cell receptors expressing V α 2 and V β 3, 503

SINET, M. *see* LACROIX, C.

SIOUD, M., DYBWAD, A., JESPERSEN, L., SULEYMAN, S., NATVIG, J.B. & FØRRE, Ø. Characterization of naturally occurring autoantibodies against tumour necrosis factor-alpha (TNF- α): *in vitro* function and precise epitope mapping by phage epitope library, 520

SKILLEN, A.W. *see* KENNEDY, D.M.

SLOBBE, R., POELS, L., TEN DAM, G., BOERMAN, O., NIELAND, L., LEUNISSEN, J., RAMAEKERS, F. & VAN EYS, G. Analysis of idiotype structure of ovarian cancer antibodies: recognition of the same epitope by two monoclonal antibodies differing mainly in their heavy chain variable sequences, 95

SMITH, C.I.E. *see* EVENGÅRD, B.

SONNERBORG, A. *see* ZHANG, Z.-X.

SORSA T. *see* LAUHIO, A.

SOSPEDRA, M. *see* VARGAS, F.

SPINOCZI, F. *see* MUSCAT, C.

STABLEIN, D.M. *see* GORSE, G.J.

STEGEMAN, C.A. *see* BROUWER, E.

STÖCKL, F. *see* MÉZIERE, C.

STRIKWERDA, S. *see* JUTTE, N.H.P.M.

SULEYMAN, S. *see* SIOUD, M.

SUMIYA, M. *see* OKAWA-TAKATSUJI, M.

SUMUYEN, M.H. *see* LACROIX, C.

SUSSMAN, G.L. *see* BEEZHOLD, D.H.

SUZUKI, K., LEE, W.J., HASHIMOTO, T., TANAKA, E., MURAYAMA, T., AMITANI, R., YAMAMOTO, K. & KUZE, F. Recombinant granulocyte-macrophage colony-stimulating factor (GM-CSF) or tumour necrosis factor-alpha (TNF- α) activate human alveolar macrophages to inhibit growth of *Mycobacterium avium* complex, 169

SZEKANECZ, Z., SHAH, M.R., PEARCE, W.H. & KOCH, A.E. Intercellular adhesion molecule-1 (ICAM-1) expression and soluble ICAM-1 (sICAM-1) production by cytokine-activated human aortic endothelial cells: a possible role for ICAM-1 and sICAM-1 in atherosclerotic aortic aneurysms, 337

TAKEUCHI, R. *see* MISAKI, T.

TAKIZAWA, H. *see* BARANYI, L.

TALOR, M. *see* SABOORI, A.M.

TANAKA, E. *see* SUZUKI, K.

TARKOWSKI, A. *see* SIMARK-MATTSSON, C.

TAYLOR, P.C. *see* PLATER-ZYBERK, C.

TEMPL, E. *see* ROSENKRANZ, A.R.

TEN DAM, G. *see* SLOBBE, R.

THEPEN, T. *see* VAN REIJSEN, F.C.

THE NIAID AIDS VACCINE CLINICAL TRIALS NETWORK *see* GORSE, G.J.

THIRU, S. *see* MATHIESON, P.W.

THOMPSON, A.W. & FORRESTER, J.V. Therapeutic advances in immunosuppression, 351

THOMPSON, A.W. *see* SEKIYAMA, K.D.

TODER, V. *see* TORCHINSKY, A.

TODISCO, T. *see* VECCHIARELLI, D.

TOGNELLINI, R. *see* MUSCAT, C.

TOLOSA, E. *see* VARGAS, F.

TOMER, Y. *see* BLANK, M.

TONIETTI, G. *see* GIACOMELLI, R.

TONNEL, A.B. *see* DELNESTE, Y.

TONZETICH, J. *see* RATKAY, L.G.
TORCHINSKY, A., FEIN, A., CARP, H.J.A. & TODER, V. MHC-associated immunopotentiation affects the embryo response to teratogens, 513
TOUGNE, C. *see* BARIOS, C.
TOYKA, K.V. *see* JUNG, S.
TRAINDL, O. *see* ROSENKRANZ, A.R.
TSCHESCHE, H. *see* LAUHIO, A.
TZOUIFAS, A.G. *see* ROUTSIAS, J.G.
UCHIDA, S. *see* MATSUYAMA, T.
UCHIUMI, T. *see* SATO, T.
UEKI, N. *see* MAEDA, J.
UWATOKO, S. *see* OKAWA-TAKATSUJI, M.
VAN BAARE, J. *see* RICHTERS, C.D.
VAN DER LINDEN, M. *see* JUTTE, N.H.P.M.
VAN EYS, G. *see* SLOBBE, R.
VAN IEPEREN-VAN DUK, A.G. *see* VAN REIJSEN, F.C.
VAN REIJSEN, F.C., WIBURG, O.L.C., GEBHARDT, M., VAN IEPEREN-VAN DIJK, A.G., BETZ, S., POELLABAUER, E.-M., THEPEN, T., BRUIJNZEEL-KOOMEN, C.A.F.M. & MUDDIE, G.C. Different growth factor requirements for human Th2 cells may reflect *in vivo* induced anergy, 151
VANHAM, G. *see* LOCHER, CH.
VARGAS, F., TOLOSA, E., SOSPEDRA, M., CATÁLFAMO, M., LUCAS-MARTIN, A., OBIOLS, G. & PUJOL-BORRELL, R. Characterization of neural cell adhesion molecule (NCAM) expression in thyroid follicular cells: induction by cytokines and over-expression in autoimmune glands, 478
VECHIARELLI, D., PIETRELLA, A., DOTTORINI, M., MONARI, C., RETINI, C., TODISCO, T. & BISTONI, F. Encapsulation of *Cryptococcus neoformans* regulates fungicidal activity and the antigen presentation process in human alveolar macrophages, 217
VICTORINO, R.M.M. *see* JALECO, A.C.
VINGERHOETS, J. *see* LOCHER, CH.
VISCIDO, A. *see* GIACOMELLI, R.
VOGT, A. *see* MEZIERE, C.
VOS, J.T.W.M. *see* COERS, W.
WARMINGTON, K.S. *see* CHENSUE, S.W.
WATERFIELD, J.D. *see* RATKAY, L.G.
WEBSTER, A.D.B. *see* EVAGELATOU, M.
WEENING, J.J. *see* COERS, W.
WEIMAR, W. *see* JUTTE, N.H.P.M.
WENISCH, C., MYSKIW, D., PARSHALK, B., HARTMANN, T., DAM, K. & GRANINGER, W. Soluble endothelium-associated adhesion molecules in patients with Graves' disease, 240
WEST, D.C. *see* MEEKINS, J.W.
WHEELER, P.R., RAYNES, J.G. & MCADAM, K.P.W.J. Autoantibodies to cerebroside sulphate (sulphatide) in leprosy, 145
WIBURG, O.L.C. *see* VAN REIJSEN, F.C.
WIJDENES, J. *see* LEGOUFFE, E.
WOLF, F. *see* RUBBERT, A.
WRIGHT, P.F. *see* GORSE, G.J.
WU, Z., PODACK, E.R., MCKENZIE, J.M., OLSEN, K.J. & ZAKARIJA, M. Perforin expression by thyroid-infiltrating T cells in autoimmune thyroid disease, 470
YAMAMOTO, K. *see* SUZUKI, K.
YOKOHARI, R. *see* OKAWA-TAKATSUJI, M.
YOSHIBA, M. *see* SEKIYAMA, K.D.
ZAKARIJA, M. *see* WU, Z.
ZHANG, D. *see* RATKAY, L.G.
ZHANG, G.Y. *see* FALK, M.C.
ZHANG, Y., COSYNS, M., LEVIN, M.J. & HAYWARD, A.R. Cytokine production in varicella zoster virus-stimulated limiting dilution lymphocyte cultures, 128
ZHANG, Z.-X., SÖNNERBORG, A. & SÄLLBERG, M. Antigenic structure of the hepatitis C virus envelope 2 protein, 382
ZHU, J., MIX, E., OLSSON, T. & LINK, H. Cellular mRNA expression of interferon-gamma, IL-4 and transforming growth factor-beta (TGF- β) by rat mononuclear cells stimulated with peripheral nerve myelin antigens in experimental allergic neuritis, 306
ZILKO, P.J. *see* GARLEPP, M.J.
ZLABINGER, G.J. *see* ROSENKRANZ, A.R.

Subject Index

28S rRNA, 35

α_2 -macroglobulin, 295

$\alpha\beta$ T cell receptor, 470

acute lung injury, 29

acute phase response, 295

Addison's disease, 104

adhesion molecule, 344

adhesion molecules, 115

affinity, 245

ageing, 128, 163

AIDS, 185, 210

allergy, 351

allogeneic T cell stimulation, 330

alveolar macrophages, 123, 217

ANCA, 280, 448

anergy, 151

anti-CD3 antibody, 508

anti-CD5 monoclonal antibody, 442

anti-DNA, 60

anti-U1-RNP antibody, 427

anti-glomerular basement membrane antibody, 295

anti-idiotypic antibodies, 434

anti-myeloperoxidase, 448

anti-proteinase 3, 448

antibodies, 224, 382, 464

antibody, 264

antibody modelling, 95

anticardiolipin antibodies, 361

antigen, 503

antigenic regions, 382

antinuclear antibodies, 287

aortic aneurysm, 337

apoptosis, 185

arthritis, 52, 388

atherosclerosis, 337

atopic dermatitis, 151

autoantibodies, 520

autoantibody, 35, 145

autoimmune polyglandular syndrome type 1, 104

autoimmune rheumatic diseases, 414

autoimmune thyroid diseases, 234

autoimmunity, 1, 40, 351, 434, 454, 459

B cell epitopes, 287

bone marrow transplantation, 508

Brown Norway rat, 66

cancer, 323

CD1, 330

CD14 antigen expression, 369

CD26, 252

CD4⁺ cytotoxic T cells, 470

CD7⁺ T cells, 163

CD8⁺ cells, 375

cell adhesion molecules, 337

cell death, 185

cerebral blood flow, 361

chemotaxis, 489

child, 78

chimaeric antibodies, 6

co-infection, 190

coeliac disease, 78

collagen-induced arthritis, 442

collagenase/matrix metalloproteinase, 21

common variable immunodeficiency, 203

complement, 40

complement activation, 300

complement regulatory molecules, 134

complement-dependent lysis, 134

corticosteroid, 66

cross-reactivity, 224

cross-regulation, 395

Crry, 134

Cryptococcus neoformans, 217

cystic fibrosis, 12

cytokine, 264

cytokines, 29, 71, 128, 337

δ chain T cell antigen receptor, 78

DBA/1 mice, 442

diabetes mellitus, 245

double-negative T cells, 470

doxycycline, 21

DR antigen, 257

DSG, 494

eicosapentaenoic acid, 12

ELISA, 401

endomyocardial biopsies, 158

endothelial cell activation, 110

endothelial cells, 344

endothelial leucocyte adhesion molecule-1, 240

envelope, 382

epitope library, 95

epitope mapping, 104

Escherichia coli, 229

experimental allergic neuritis, 306

experimental autoimmune encephalomyelitis, 494

experimental autoimmune neuritis, 494

experimental autoimmune thyroiditis, 89

experimental systemic lupus erythematosus, 434

Fc γ receptor, 115, 270

fetomaternal immunoreactivity, 513

flow cytometry, 115, 185, 526

FRTL cell line, 234

fulminant hepatic failure, 71

$\gamma\delta$ T lymphocytes, 83

gene expression, 78

gene rearrangement, 78

germ-line IgM, 145

glomerular visceral epithelial cells, 279

glomerulonephritis, 60

glycation, 245

glycoprotein IIb-IIIa, 6

gp120, 123

graft infiltrating cells, 158

graft-versus-host disease, 287

granulocyte-macrophage colony-stimulating factor, 169

granulomas, 395

Graves' disease, 240, 459, 478

GTPase domain, 35

haemodialysis, 300

haemorrhage, 29

half-life, 17

HCV, 382

health care workers, 408
 heart transplantation, 158
 heat shock protein, 234
 heat shock proteins, 224, 229
 hepatitis, 375
 hevein, 408
 histamine, 344
 HIV, 115
 HIV-1, 123, 361
 HIV-1 envelope glycoprotein, 178
 HIV-1 infection, 185, 369
 HIV-2 infection, 185
 HIV-2 natural history, 185
 HLA, 40
 HMPAO SPECT, 361
 human alveolar macrophages, 169
 human lymphocytes, 203
 human monoclonal anti-Rh D, 17
 humoral, 178

idiotype, 434
 IgG subclasses, 464
 IgG4, 401
 IL-1 receptor antagonist, 71
 IL-10, 395
 IL-1 α , 427
 IL-1 β , 46, 427
 IL-2, 151, 203
 IL-3, 196
 IL-4, 151, 306, 395
 IL-6, 295, 323, 344, 427
 immune suppression, 351
 immunity, 178
 immunization, 323
 immunogenicity, 178
 immunoglobulin, 95
 immunopotentiation, 513
 immunotherapy, 323, 442, 494
 immunotoxin, 434
 inclusion body, 40
 inflammatory bowel disease, 83
 inflammatory diseases, 21
 intercellular adhesion molecule-1, 240, 279
 interferon-alpha, 279
 interferon-gamma, 46, 196, 279, 306, 395

Kawasaki disease, 264
 kinetics, 245

Langerhans cells, 330
 latex allergens, 408
 latex allergy, 408
 leprosy, 145
 leukotriene B4, 12
 library, 145, 520
 lichen planus, 503
 lipopolysaccharide, 295
 LP-BM5 MuLV, 190
 lupus, 60
 lymphocyte adhesion, 46
 lymphocyte proliferation, 178
 lymphocyte subset, 526

macrophage, 494
 macrophages, 210, 489
 MAIDS, 190
 malignant mesothelioma, 319
 malignant pleural effusion, 319
 mapping, 520
 mercuric chloride, 66
 messenger ribonucleic acid, 306
 MHC, 279
 mice, 52
 microglia, 313

migrating cells, 330
 mixed connective tissue disease, 427
 mixed lymphocyte reaction, 508
 monoclonal antibodies, 323, 454
 monoclonal antibody, 245, 526
 monocyte, 115
 monocytes, 489
 monocyte subpopulation, 369
 mouth mucosa, 503
 multinucleated giant cells, 257
 murine cytomegalovirus, 375
 murine models, 287
 mycobacteria, 210, 224, 229
Mycobacterium avium, 123
Mycobacterium avium complex, 169
Mycoplasma pneumoniae, 388
Mycoplasma pulmonis, 388
 myositis, 40

N-acetyl cysteine, 66
 natural killer cells, 375
 nephrotic nephritis, 295
 neural cell adhesion molecule, 478
 neutrophil activation, 270
 neutrophil, 300
 neutrophils, 12
 newly diagnosed, 489

oestradiol, 203
 oestrogen, 52
 onchocerciasis, 401
 opsonization, 134
 ovarian carcinoma, 95
 oxidative burst, 300

perforin, 470
 phage display, 95
 phagocytosis, 196, 313, 489
 phenotype, 83
 phytohaemagglutinin, 203
 platelets, 6
Pneumocystis carinii, 196
 polymerase chain reaction, 78
 polymorphism, 526
 post-partum flare, 52
 pre-eclampsia, 110
 primary lung cancer, 319
 priming, 313
 programmed cell death, 185
 prostaglandins, 123

reactive arthritis, 21
 receptors, 12, 503
 respiratory infections, 217
 resting T lymphocytes, 313
 retrovirus, 1
 rheumatic diseases, 1
 rheumatoid arthritis, 252, 257
 ribosomal proteins, 35
 RNA messenger, 78
 Ro/SSA, 414

Schistosoma mansoni, 395
 scid mice, 388
 serum agglutinators, 6
 serum parameters, 369
 Sm D, 419
 snRNPs, 419
 soluble ICAM-1, 46
 soluble monocyte antigen, 369
 steroid 17 α -hydroxylase, 104
 streptococci, 140
 sulphatide, 145
 superantigen, 140

superoxide, 196
superoxide production, 489
synovial cells, 46
synovial fluid, 252
synthetic peptides, 382, 414
systemic lupus erythematosus, 35, 52, 414, 419

T cell, 503
T cell antigen, 503
T cell proliferation, 508
T cell subsets, 140
T cells, 252, 448
T helper cells, 395
T lymphocyte, 494
T lymphocytes, 503
teratogens, 513
TGF- β 1, 319
TGF- β 2, 319
Th2, 151
thyroglobulin, 89, 464
thyroid autoimmunity, 470, 478
thyroid carcinoma, 459
thyroiditis, 454, 459

TNF- α , 29, 110
toxic shock-like syndrome, 140
Toxoplasma gondii, 190
transforming growth factor-beta, 306
transplant coronary artery disease, 158
transplantation, 351
tumour necrosis factor-alpha, 169, 520
type 1 diabetes mellitus, 489

vaccine, 178
vaccines, 229
vaccinia virus, 134
variable domains, 95
varicella zoster virus, 128
vascular cell adhesion molecule-1, 240
vascular endothelial cell, 264
vesicular stomatitis virus, 414
village transmission potential, 401
virulence, 210
vitamin E, 66

Wegener's granulomatosis, 448

